

Reference list Chondro-Gide®

2016

Zhang C, Cai YZ, Lin XJ.

One-Step Cartilage Repair Technique as a Next Generation of Cell Therapy for Cartilage Defects: Biological Characteristics, Preclinical Application, Surgical Techniques, and Clinical Developments. *Arthroscopy*. 2016 Jul;32(7):1444-50.

Goebel L, Kohn D, Madry H.

Biological Reconstruction of the Osteochondral Unit After Failed Focal Resurfacing of a Chondral Defect in the Knee. *Am J Sports Med*. 2016 Jul 13. [Epub ahead of print]

von Keudell A, Han R, Bryant T, Minas T.

Autologous Chondrocyte Implantation to Isolated Patella Cartilage Defects Two-to 15-Year Follow-up. *Cartilage*. 2016 Jul 7. [Epub ahead of print]

Demange MK, Minas T, von Keudell A, Sodha S, Bryant T, Gomoll AH.

Intralesional Osteophyte Regrowth Following Autologous Chondrocyte Implantation after Previous Treatment with Marrow Stimulation Technique. *Cartilage*. 2016 Jun 22. [Epub ahead of print]

Richter M, Zech S, Meissner SA.

Matrix-associated stem cell transplantation (MAST) in chondral defects of the ankle is safe and effective – 2-year-followup in 130 patients
Foot Ankle Surg. 2016 May 30. [Epub ahead of print]

Richter M, Zech S, Meissner SA.

Matrix-associated stem cell transplantation (MAST) in chondral defects of the 1st metatarsophalangeal joint is safe and effective—2-year-follow-up in 20 patients.
Foot Ankle Surg. 2016 May 27. [Epub ahead of print]

Dugard MN, Kuiper JH, Parker J, Roberts S, Robinson E, Harrison P, Richardson JB.

Development of a Tool to Predict Outcome of Autologous Chondrocyte Implantation. *Cartilage*. 2016 May 23. [Epub ahead of print]

Bhattacharjee A, McCarthy HS, Tins B, Roberts S, Kuiper JH, Harrison PE, Richardson JB.

Autologous Bone Plug Supplemented With Autologous Chondrocyte Implantation in Osteochondral Defects of the Knee. *Am J Sports Med*. 2016 May;44(5):1249-59.

Gille J, Behrens P, Schulz AP, Oheim R, Kienast B.

Matrix-Associated Autologous Chondrocyte Implantation: A Clinical Follow-Up at 15 Years. *Cartilage*. 2016 Apr 6. [Epub ahead of print]

Cuéllar A, Ruiz-Ibán MA, Cuéllar R.

The Use of All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Management of Humeral and Glenoid Chondral Defects in the Shoulder. *Arthrosc Tech*. 2016 Mar 7;5(2):e223-7.

Goeminne S, Somers J.

Arthroscopic Treatment of Acetabular Cartilage Lesions in Cam-Type Hip Impingement with Membrane Induced Chondrogenesis versus Microfracturing. *Journal of Sports Science*. 2016(4): 9-17.

Schagemann JC, Rudert N, Taylor ME, Sim S, Quenneville E, Garon M, Mittelstaedt H.

Bilayer Implants Electromechanical Assessment of Regenerated Articular Cartilage in a Sheep Model. *Cartilage*. 2016 Jan 22. [Epub ahead of print]

2015

Kubosch EJ, Erdle B, Izadpanah K, Kubosch D, Uhl M, Südkamp NP, Niemeyer P.
Clinical outcome and T2 assessment following autologous matrix-induced chondrogenesis in osteochondral lesions of the talus.

Int Orthop. 2016 Jan;40(1):65-71. [Epub 2015 Sep 8]

Piontek T, Bąkowski P, Ciemniewska-Gorzela K, Naczek J.

Arthroscopic Treatment of Chondral and Osteochondral Defects in the Ankle Using the Autologous Matrix-Induced Chondrogenesis Technique

Arthrosc Tech. 2015 Sep 21;4(5):e463-9.

Uselli FG, de Girolamo L, Grassi M, D'Ambrosi R, Montrasio UA, Boga M.

All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Treatment of Osteochondral Lesions of the Talus.

Arthrosc Tech. 2015 Jun 8;4(3):e255-9.

Fontana A, De Girolamo L.

Sustained 5-year benefit of autologous matrix-induced chondrogenesis for femoral acetabular impingement-induced chondral lesions compared with microfracture treatment.

Bone Joint J. 2015 May;97-B(5):628-35.

2014

Mancini D, Fontana A.

Five-year results of arthroscopic techniques for the treatment of acetabular chondral lesions in femoroacetabular impingement.

Int Orthop. 2014 Oct;38(10):2057-64.

Biant LC, Bentley G, Vijayan S, Skinner JA, Carrington RW.

Long-term Results of Autologous Chondrocyte Implantation in the Knee for Chronic Chondral and Osteochondral Defects.

Am J Sports Med. 2014 Sep;42(9):2178-83.

Lee YHD, Suzer F, Thermann H.

Autologous Matrix-Induced Chondrogenesis in the Knee: A Review.

Cartilage. 2014;5(3):145-153.

Dhollander A, Moens K, Van der Maas J, Verdonk P, Almqvist KF, Victor J.

Treatment of patellofemoral cartilage defects in the knee by autologous matrix-induced chondrogenesis (AMIC).

Acta Orthop Belg. 2014 Jun;80(2):251-9.

Walther M, Altenberger S, Kriegelstein S, Volkering C, Röser A.

Reconstruction of focal cartilage defects in the talus with miniarthrotomy and collagen matrix.

Oper Orthop Traumatol. 2014 Dec;26(6):603-10.

Matrix-associated chondroplasty: a novel platelet-rich plasma and concentrated nucleated bone marrow cell-enhanced cartilage restoration technique.

Steinwachs MR, Waibl B, Wopperer S, Mumme M.

Arthrosc Tech. 2014 Apr 21;3(2):e279-82.

Sadlik B, Wiewiorski M.

Dry arthroscopy with a retraction system for matrix-aided cartilage repair of patellar lesions.

Arthrosc Tech. 2014 Feb 6;3(1):e141-4.

Pestka JM, Bode G, Salzmann G, Steinwachs M, Schmal H, Südkamp NP, Niemeyer P.

Clinical outcomes after cell-seeded autologous chondrocyte implantation of the knee: when can success or failure be predicted?

Am J Sports Med. 2014 Jan;42(1):208-15.

2013

McCarthy HS, Roberts S.

A histological comparison of the repair tissue formed when using either Chondro-Gide® or periosteum during autologous chondrocyte implantation.

Osteoarthritis Cartilage. 2013 Dec;21(12):2048-57

Walther M, Martin K.

Scaffold Based Reconstruction of Focal Full Thickness Talar Cartilage Defects.

Clin Res Foot Ankle. 2013;1(2):115

Richter M, Zech S.

Matrix-associated stem cell transplantation (MAST) in chondral defects of foot and ankle is effective.

Foot Ankle Surg. 2013 Jun;19(2):84-90

Anders S, Volz M, Frick H, Gellissen J.

A Randomized, Controlled Trial Comparing Autologous Matrix-Induced Chondrogenesis (AMIC) to Microfracture: Analysis of 1- and 2-Year Follow-Up Data of 2 Centers.

Open Orthop J. 2013 May 3;7:133-43

Wiewiorski M, Barg A, Valderrabano V.

Autologous Matrix-induced Chondrogenesis in Osteochondral Lesions of the Talus.

Foot and Ankle Clinics, Volume 18, Issue 1, March 2013, Pages 151–158

Valderrabano V, Miska M, Leumann A, Wiewiorski M.

Reconstruction of Osteochondral Lesions of the Talus With Autologous Spongiosa Grafts and Autologous Matrix-Induced Chondrogenesis.

Am J Sports Med. 2013 Mar;41(3):519-27

2012

Gille J, Behrens P, Volpi P, de Girolamo L, Reiss E, Zoch W, Anders S.

Outcome of Autologous Matrix Induced Chondrogenesis (AMIC) in cartilage knee surgery: data of the AMIC Registry.

Arch Orthop Trauma Surg. 2013 Jan;133(1):87-93

Miska M, Wiewiorski M, Valderrabano V.

Reconstruction of a Large Osteochondral Lesion of the Distal Tibia with an Iliac Crest Graft and Autologous Matrix-induced Chondrogenesis (AMIC): A Case Report.

J Foot Ankle Surg. 2012 Sep-Oct;51(5):680-3.

Leunig M, Tibor LM, Naal FD, Ganz R, Steinwachs MR.

Surgical Technique: Second-generation Bone Marrow Stimulation via Surgical Dislocation to Treat Hip Cartilage Lesions.

Clin Orthop Relat Res. 2012 Dec;470(12):3421-31

Fontana A.

A Novel Technique for Treating Cartilage Defects in the Hip: A Fully Arthroscopic Approach to Using Autologous Matrix-Induced Chondrogenesis.

Arthrosc Tech. 2012 Apr 21;1(1):e63-8

Wiewiorski M, Miska M, Nicolas G, Valderrabano V.

Revision of Failed Osteochondral Autologous Transplantation Procedure for Chronic Talus Osteochondral Lesion With Iliac Crest Graft and Autologous Matrix-Induced Chondrogenesis: A Case Report.

Foot Ankle Spec. 2012 Apr;5(2):115-20

2011

Kusano T, Jakob RP, Gautier E, Magnussen RA, Hoogewoud H, Jacobi M.

Treatment of isolated chondral and osteochondral defects in the knee by autologous matrix-induced chondrogenesis (AMIC).

Knee Surg Sports Traumatol Arthrosc. 2012 Oct;20(10):2109-15

Piontek T, Ciemniewska-Gorzela K, Szulc A, Naczek J, Słomczykowski M.
All-arthroscopic AMIC procedure for repair of cartilage defects of the knee.
Knee Surg Sports Traumatol Arthrosc. 2012 May;20(5):922-5

Benthien JP, Behrens P.

The treatment of chondral and osteochondral defects of the knee with autologous matrix-induced chondrogenesis (AMIC): method description and recent developments.
Knee Surg Sports Traumatol Arthrosc. 2011 Aug;19(8):1316-9

2010

Dhollander AA, De Neve F, Almqvist KF, Verdonk R, Lambrecht S, Elewaut D, Verbruggen G, Verdonk PC.
Autologous matrix-induced chondrogenesis combined with platelet-rich plasma gel: technical description and a five pilot patients report.
Knee Surg Sports Traumatol Arthrosc. 2011 Apr;19(4):536-42

de Girolamo L, Bertolini G, Cervellin M, Sozzi G, Volpi P.

Treatment of chondral defects of the knee with one step matrix-assisted technique enhanced by autologous concentrated bone marrow: in vitro characterisation of mesenchymal stem cells from iliac crest and subchondral bone.
Injury. 2010 Nov;41(11):1172-7

Niemeyer P, Lenz P, Kreuz PC, Salzmann GM, Südkamp NP, Schmal H, Steinwachs M.

Chondrocyte-seeded type I/III collagen membrane for autologous chondrocyte transplantation: prospective 2-year results in patients with cartilage defects of the knee joint.
Arthroscopy. 2010 Aug;26(8):1074-82

Benthien JP, Behrens P.

Autologous matrix-induced chondrogenesis (AMIC): A one-step procedure for retropatellar articular resurfacing
Acta Orthop. Belg., 2010, 76, 260-263

Benthien JP, Behrens P.

Autologous Matrix-Induced Chondrogenesis (AMIC): Combining Microfracturing and a Collagen I/III Matrix for Articular Cartilage Resurfacing
Cartilage, 2010, 1(1) 65-68

Gille J, Schuseil E, Wimmer J, Gellissen J, Schulz AP, Behrens P.

Mid-term results of Autologous Matrix-Induced Chondrogenesis for treatment of focal cartilage defects in the knee.
Knee Surg Sports Traumatol Arthrosc. 2010 Nov;18(11):1456-64

Gille J, Kunow J, Boisch L, Behrens P, Bos I, Hoffmann C, Köller W, Russlies M, Kurz B.

Cell-Laden and Cell-Free Matrix-Induced Chondrogenesis versus Microfracture for the Treatment of Articular Cartilage Defects: A Histological and Biomechanical Study in Sheep
Cartilage, Jan 2010; vol. 1: pp. 29 - 42

Wiewiorski M, Leumann A, Buettner O, Pagenstert G, Horisberger M, Valderrabano V.

Autologous matrix-induced chondrogenesis aided reconstruction of a large focal osteochondral lesion of the talus.
Arch Orthop Trauma Surg. 2011 Mar;131(3):293-6

2009

Richter W.

Mesenchymal stem cells and cartilage in situ regeneration.
J Intern Med. 2009 Oct;266(4):390-405.

Gomoll AH, Probst C, Farr J, Cole BJ, Minas T.

Use of a Type I/III Bilayer Collagen Membrane Decreases Reoperation Rates for Symptomatic Hypertrophy After Autologous Chondrocyte Implantation.
Am J Sports Med. 2009 Nov;37 Suppl 1:20S-23S

Steck E, Fischer J, Lorenz H, Gotterbarm T, Jung M, Richter W.
Mesenchymal stem cell differentiation in an experimental cartilage defect: restriction of hypertrophy to bone-close neocartilage.
Stem Cells Dev. 2009 Sep;18(7):969-78.

Dickhut A, Dexheimer V, Martin K, Lauinger R, Heisel C, Richter W.
Chondrogenesis of human mesenchymal stem cells by local TGF-beta delivery in a biphasic resorbable carrier.
Tissue Eng Part A. 2010 Feb;16(2):453-64

Jung M, Kaszap B, Redöhl A, Steck E, Breusch S, Richter W, Gotterbarm T.
Enhanced early tissue regeneration after matrix-assisted autologous mesenchymal stem cell transplantation in full thickness chondral defects in a minipig model.
Cell Transplant. 2009;18(8):923-32

2008

Steinwachs MR.

New Technique for Cell-Seeded Collagen Matrix-Supported Autologous Chondrocyte Transplantation.
Arthroscopy. 2009 Feb;25(2):208-11 Epub 2008 Dec 18

McNickle AG, Provencher MT, Cole BJ.
Overview of existing cartilage repair technology.
Sports Med Arthrosc. 2008 Dec;16(4):196-201

Niemeyer P, Pestka JM, Kreuz PC, Erggelet C, Schmal H, Suedkamp NP, Steinwachs M.
Characteristic complications after autologous chondrocyte implantation for cartilage defects of the knee joint.
Am J Sports Med. 2008 Nov;36(11):2091-9

Steinwachs MR, Kreuz PC, Gohlke-Steinwachs U, Niemeyer P.
[Current treatment for cartilage damage in the patellofemoral joint].
Orthopade. 2008 Sep;37(9):841-7

Steinwachs MR, Guggi Th, Kreuz PC.
Marrow stimulation techniques.
Injury, Int. J. Care Injured (2008) 39S1, S26-S31

2007

Steinwachs M, Kreuz PC.

Autologous chondrocyte implantation in chondral defects of the knee with a type I/III collagen membrane: A prospective study with a 3-year follow-up.
Arthroscopy. 2007;23:381-387

Knutsen G, Engebretsen L, Ludvigsen TC, Drogset JO, Grøntvedt T, Solheim E, Strand T, Roberts S, Isaksen V, Johansen O.
A Randomized Trial Comparing Autologous Chondrocyte Implantation with Microfracture. Findings at Five Years.
J Bone Joint Surg Am. 2007;89:2105-2112

Niemeyer Ph, Kreuz P; Steinwachs M, Köstler W, Mehlhorn A, Kraft N, Südkamp N.
Technical note: the "double eye" technique as a modification of autologous chondrocyte implantation for the treatment of retropatellar cartilage defects.
Knee Surg Sports Traumatol Arthrosc. 2007 Dec;15(12):1461-8

Niemeyer Ph, Steinwachs M, Erggelet Ch; Kreuz P, Köstler W, Mehlhorn A, Kraft N, Südkamp N.
Autologous chondrocyte implantation for the treatment of retropatellar cartilage defects: clinical results referred to defect localisation.
Arch Orthop Trauma Surg. 2008 Nov;128(11):1223-31

Niemeyer P, Kreuz PC, Steinwachs M, Südkamp NP.
[Operative treatment of cartilage lesions in the knee joint].
Sportverletz Sportschaden. 2007 Mar;21(1):41-50

2006

Behrens P, Bitter T, Kurz B, Russlies M.

Matrix-associated autologous chondrocyte transplantation/implantation(MACT/MACI)--5-year follow-up.
Knee. 2006 Jun;13(3):194-202

Gooding C.R., Bartlett W., Bentley G., Skinner J.A., Carrington R., Flanagan A.

A prospective, randomised study comparing two techniques of autologous chondrocyte implantation for osteochondral defects in the knee: Periosteum covered versus type I/III collagen covered.
Knee 13(3): 203-210, 2006

Kramer J, Böhrnsen F, Lindner U, Behrens P, Schlenke P, Rohwedel J.

In vivo matrix-guided human mesenchymal stem cells.
Cellular and Molecular Life Sciences (CMLS) 2006;63:616-626

2005

Behrens P.

Matrixgekoppelte Mikrofrakturierung, ein neues Konzept zur Knorpeldefektbehandlung.
Arthroskopie 2005;18:193-197

Dorotka R, Bindreiter U, Macfelda K, Windberger U, Nehrer S.

Marrow stimulation and chondrocyte transplantation using a collagen matrix for cartilage repair.
Osteoarthritis Cartilage. 2005 Aug;13(8):655-64

Gille J, Meisner U, Ehlers EM, Muller A, Russlies M, Behrens P.

Migration pattern, morphology and viability of cells suspended in or sealed with fibrin glue: A histomorphologic study.
Tissue Cell. 2005 Oct;37(5):339-48

Russlies M., Behrens P., Ehlers E.M., Brohl C., Vindigni C., Spector M., Kurz B

Periosteum stimulates subchondral bone densification in autologous chondrocyte transplantation in a sheep model.
Cell Tissue Res 319 (1): 133-142, 2005

2004

Haddo O, Higgs M.D, Pringle D.J, Bayliss M, Cannon S.R, Briggs T.W.R.

The use of the Chondro-Gide membrane in autologous chondrocyte implantation
Knee. 2004 Feb;11(1):51-5

Knutsen G, Engebretsen L, Ludvigsen TC, Drogset JO, Grontvedt T, Solheim E, Strand T, Roberts S, Isaksen V, Johansen O.

Autologous chondrocyte implantation compared with microfracture in the knee. A randomized trial.
J Bone Joint Surg Am. 2004 Mar;86-A(3):455-64

2003

Bentley G, Biant LC, Carrington RW, Akmal M, Goldberg A.

A prospective, randomised comparison of autologous chondrocyte implantation versus mosaicplasty for osteochondral defects in the knee.
J Bone Joint Surg (BR) 2003, 85-B: 223-230

Briggs TWR, Mahroof S, David L.A, Flannely J, Pringle J, Bayliss M.

Histological evaluation of chondral defects after autologous chondrocyte implantation of the knee.
J Bone Joint Surg (BR), 2003, 85-B: 1077-1083

Russlies M, Rütter P, Köller W, Stomberg P, Behrens P.

Biomechanische Eigenschaften von Knorpelersatzgewebe nach verschiedenen Methoden der Knorpeldefektbehandlung beim Schaf.
Z Orthop, 2003, 141: 465-471

2002

Peterson L, Brittberg M, Kiviranta I, Lungren E, Lindahl A.

Autologous Chondrocyte Transplantation - Biomechanics and Long-Term Durability.
Am J Sports Med, 2002. 30(1): 2-12

Russlies M, Behrens P, Wünsch L, Gille J, Ehlers EM.

A cell-seeded biocomposite for cartilage repair.
Ann Anat 2002, 184: 317-323

Steadman JR, Rodkey WG, Briggs KK.
Microfracture to treat full-thickness chondral defects: surgical technique, rehabilitation, and outcomes.
J Knee Surg. 2002 Summer;15(3):170-6

2001

Breinan, HA et al.
Autologous chondrocyte implantation in a canine model: change in composition of reparative tissue with time.
J Orthop Res. 2001. 19(3): p. 482-92

Breinan, HA, Hsu, HP, Spector M.
Chondral defects in animal models: effects of selected repair procedures in canines.
Clin Orthop Relat Res. 2001 Oct;(391 Suppl):S219-30.

Ehlers EM, Behrens P, Wunsch L, Kuhnel W, Russlies M.
Effects of hyaluronic acid on the morphology and proliferation of human chondrocytes in primary cell culture.
Ann Anat, 2001. 183(1): 13-7

Steadman JR, Rodkey WG, Rodrigo JJ.
Microfracture: surgical technique and rehabilitation to treat chondral defects.
Clin Orthop Relat Res. 2001 Oct;(391 Suppl):S362-9

2000

Breinan HA, Martin SD, Hsu HP, Spector M.
Healing of canine articular cartilage defects treated with microfracture, a type-II collagen matrix, or cultured autologous chondrocytes.
J Orthop Res, 2000. 18(5): p. 781-9

Fuss M, Ehlers EM, Russlies M, Rohwedel J, Behrens P.
Characteristics of human chondrocytes, osteoblasts and fibroblasts seeded onto a type I/III collagen sponge under different culture conditions. A light, scanning and transmission electron microscopy study.
Ann Anat, 2000. 182(4): p. 303-10

Peterson L, Minas T, Brittberg M, Nilsson A, Sjögren-Jansson E, Lindahl A.
Two- to 9-year outcome after autologous chondrocyte transplantation of the knee.
Clin Orthop Relat Res. 2000 May;(374):212-34

1999

Brittberg M.
Autologous chondrocyte transplantation.
Clin Orthop Relat Res. 1999 Oct;(367 Suppl):S147-55

Ehlers EM, Fuss M, Rohwedel J, Russlies M, Kühnel W, Behrens P.
Development of a biocomposite to fill out articular cartilage lesions. Light, scanning and transmission electron microscopy of sheep chondrocytes cultured on a collagen I/III sponge.
Ann Anat. 1999. 181(6): p. 513-8

Russlies, M., Ehlers, E.M., Fuss, M., Rohwedel, J., Behrens, P., Plötz, W.
A cell matrix biocomposit for cartilage defect therapy.
Osteoarthritis Cartilage, 1999. 7(Suppl A): p. 35

Steadman J.R., Rodkey W.G., Briggs K.K., Rodrigo J.J.
The microfracture technic in the management of complete cartilage defects in the knee joint
Orthopade.1999. 28:26-32

Steinwachs MR, Erggelet C, Lahm A, Guhlke-Steinwachs U.
[Clinical and cell biology aspects of autologous chondrocytes transplantation].
Unfallchirurg, 1999. 102(11): p. 855-60

1998

Nehrer S, Breinan HA, Ramappa A, Hsu HP, Minas T, Shortkroff S, Sledge CB, Yannas IV, Spector M.
Chondrocyte-seeded collagen matrices implanted in a chondral defect in a canine model.
Biomaterials, 1998. 19(24): p. 2313-28

1997

Frenkel SR, Toolan B, Menche D, Pitman MI, Pachence JM.
Chondrocyte transplantation using a collagen bilayer matrix for cartilage repair.
J Bone Joint Surg Br, 1997. 79(5): p. 831-6

Nehrer S, Breinan HA, Ramappa A, Shortkroff S, Young G, Minas T, Sledge CB, Yannas IV, Spector M.
Canine chondrocytes seeded in type I and type II collagen implants investigated in vitro.
J Biomed Mater Res, 1997. 38(2): p. 95-104

Nehrer S, Breinan HA, Ramappa A, Young G, Shortkroff S, Louie LK, Sledge CB, Yannas IV, Spector M.
Matrix collagen type and pore size influence behaviour of seeded canine chondrocytes.
Biomaterials, 1997. 18(11): p. 769-76

Schlegel AK, Möhler H, Busch F, Mehl A.
Preclinical and clinical studies of a collagen membrane (Geistlich Bio-Gide).
Biomaterials, 1997. 18(7): p. 535-8

1994

Brittberg M, Lindahl A, Nilsson A, Ohlsson C, Isaksson O, Peterson L.
Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation.
N Engl J Med, 1994. 331(14): p. 889-95